

## 2020 CONCRETE REPLACEMENT PROJECT

WORK LOCATIONS, WORK DESCRIPTION		UNIT- SY
1	<b>140 Grand Ave.</b>	
	Concrete Driveway- Removal- 6" Thick- 5 ' Wide 14' 0" Length	7.7
	6" Thick Sidewalk Replacement, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 5' Wide 14' 0" Length	7.7
2	<b>411 Howard St.</b>	
	Concrete Removal- Curb & Gutter- 8" Thick - 30" Wide- 35' 0"	9.72
	Curb & Gutter Replacement, -8" Thick, 4" Class VI Base, Expansion joints (City Standards & Specs)- 35' 0"	9.72
3	<b>322 Main St.</b>	
	Concrete Sidewalk- Removal- 4" Thick - 12' 9" Length x 8' 1" Wide	11.44
	4" Thick Sidewalk Replacement, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 12' 9" Length x 8' 1" Wide	11.44
4	<b>745 Dodge St.</b>	
	Concrete Sidewalk- Removal- 4" Thick - 51' 6" Length 5' Wide	28.61
	4" Thick Sidewalk Replacement, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 51' 6" Length 5' Wide	28.61
5	<b>564 Main St.- First State Bank Of Colorado</b>	
	Concrete Sidewalk- Removal- 4" Thick - 16' 6" Length 9' 3" Wide- Washed Aggregate	16.96
	4" Thick Sidewalk Replacement, 4" Class VI Base, & Expansion Joints (City Standards & Specs)-16' 6" Length 9' 3" Wide- Match Existing Washed Aggregate	16.96
6	<b>1776 Roubideau St.</b>	
	Concrete Sidewalk- Removal- 4" Thick - 12' 0" Length 7' 6" Wide Including Mountable Curb & Gutter	10
	4" Thick Sidewalk Replacement, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 12' 0" Length 7' 6" Wide Including Mountable Curb & Gutter	10
7	<b>1035 Meeker St.</b>	
	Concrete Sidewalk- Removal- 10' 6" Length 5' Wide	5.83
	4" Thick Sidewalk Replacement, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 10' 6" Length 5' Wide	5.83
8	<b>215 West 3rd St.</b>	
	Concrete Sidewalk- Removal- 47' 0" Length 5' Wide	26.11
	4" Thick Sidewalk Replacement, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 47' 0" Length 5' Wide	26.11
9	<b>660 Leon St.</b>	
	Concrete Sidewalk- Removal- No Sidewalk In Place	0
	4" Thick Sidewalk Replacement, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 59' 6" Length 5' Wide	33.06
10	<b>750 Main St.</b>	
	Concrete Sidewalk- Removal- 62' 0" Length 5' 0" Wide	34.44
	4" Thick Sidewalk Replacement, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 62' 0" Length 5' 0" Wide	34.44
11	<b>631 Grand Ave.</b>	
	Concrete Removal- Curb & Gutter- 8" Thick - 30" Wide- 17' 0" Length	4.72
	Curb & Gutter Replacement, -8" Thick, 4" Class VI Base, Expansion joints (City Standards & Specs)- 17' 0" Length	4.72
12	<b>601 Grand Ave.</b>	
	Concrete Sidewalk- Removal- 45' 0" Length 5' Wide	25

	4" Thick Sidewalk Replacement, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 45' 0" Length 5' Wide	25
13	<b>370 Columbus St.- Robert w. Jay Park</b>	
	Concrete Sidewalk- Removal- 15' 6" Length 5' Wide	8.61
	4" Thick Sidewalk Replacement, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 15' 6" Length 5' Wide	8.61
14	<b>959 Meeker St.</b>	
	Concrete Sidewalk- Removal- 6" Thick- 5 ' Wide 14' 9" Length	8.2
	6" Thick Sidewalk Replacement, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 5 ' Wide 14' 9" Length	8.2
15	<b>963 Meeker St.</b>	
	Concrete Sidewalk- Removal- 52' 0" Length 5' Wide	28.9
	4" Thick Sidewalk Replacement, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 52' 0" Length 5' Wide	28.9
16	<b>1005 Meeker St.</b>	
	Concrete Sidewalk- Removal- 49' 0" Length 5' Wide	27.22
	4" Thick Sidewalk Replacement, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 49' 0" Length 5' Wide	27.22
	Concrete Sidewalk- Removal- 6" Thick- 18' 9" Length 5' Wide	10.42
	6" Thick Sidewalk Replacement, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 18' 9" Length 5' Wide	10.42
17	<b>825 MAIN ST.</b>	
	Concrete Removal- 4" Thick- 5 ft. Wide	4.12
	4" Thick Sidewalk, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 5Ft. Wide- 7' 5" Length	4.12
18	<b>903 MAIN ST.</b>	
	Concrete Removal- 4" Thick- 5 ft. Wide	20.27
	4" Thick Sidewalk, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 5Ft. Wide- 36' 6" Length	20.27
19	<b>943 MAIN ST.</b>	
	Concrete Removal- 4" Thick- 5 ft. Wide	10.27
	4" Thick Sidewalk, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 5Ft. Wide- 18' 6" Length	10.27
20	<b>949 MAIN ST.</b>	
	Concrete Removal- 4" Thick- 5 ft. Wide	1.94
	4" Thick Sidewalk, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 5Ft. Wide- 3' 6" Length	1.94
21	<b>991 MAIN ST.</b>	
	Concrete Removal- 4" Thick- 5 ft. Wide	3.93
	4" Thick Sidewalk, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 5Ft. Wide- 7' 1" Length	3.93
	Concrete Removal- 6" Thick - 5 ft. Wide	6.98
	Driveway Pan- 6" Thick, 4" Class VI Base, Expansion joints (City Standards & Specs)- 5Ft. Wide- 12' 7" Length	6.98
22	<b>1009 MAIN ST.</b>	
	Concrete Removal- 4" Thick- 5 ft. Wide	2.63
	4" Thick Sidewalk, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 5Ft. Wide- 4' 9" Length	2.63
23	<b>1019 MAIN ST.</b>	
	Concrete Removal- 4" Thick- 5 ft. Wide	18.23
	4" Thick Sidewalk, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 5Ft. Wide- 32' 10" Length	18.23

	Concrete Removal- 6" Thick - 5 ft. Wide	3.88
	Driveway Pan- 6" Thick, 4" Class VI Base, Expansion joints (City Standards & Specs)- 5Ft. Wide- 7' 0" Length	3.88
24	<b>1025 MAIN ST.</b>	
	Concrete Removal- 4" Thick- 5 ft. Wide	3.00
	4" Thick Sidewalk, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 5Ft. Wide- 5' 5" Length	3.00
25	<b>1035 MAIN ST.</b>	
	Concrete Removal- 4" Thick- 5 ft. Wide	6.00
	4" Thick Sidewalk, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 5Ft. Wide- 11' 0" Length	6.00
26	<b>1055 MAIN ST.</b>	
	Concrete Removal- 4" Thick- 5 ft. Wide	2.00
	4" Thick Sidewalk, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 5Ft. Wide- 3' 0" Length	2.00
27	<b>107 WEST 11TH ST.- MAIN ST. SIDE OF COMPLETE.CONNECTED. CARE BUSINESS</b>	
	Concrete Removal- 4" Thick- 5 ft. Wide	6.00
	4" Thick Sidewalk, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 5Ft. Wide- 10' 10" Length	6.00
28	<b>1109 MAIN ST.</b>	
	Concrete Removal- 4" Thick- 5' Wide	5.00
	4" Thick Sidewalk, 4" Class VI Base, & Expansion Joints (City Standards & Specs)- 5Ft. Wide- 9' 10" Length	5.00
	<b>Description</b>	<b>UNIT- LS</b>
	CDOT ADA <b>TYPE 3</b> CURB RAMP- 6th St. & Leon St.- Northeast Corner	1.00
	CDOT ADA PARALLEL CURB RAMP- Bill Heddles Recreation Center- Tennis Court Area	1.00
	CDOT ADA <b>TYPE 3</b> CURB RAMP- 9th St. & Meeker St. NW Corner	1.00
	CDOT ADA <b>TYPE 3</b> CURB RAMP- 9th St. & Meeker St. NE Corner	1.00