


Oklahoma Risk Levels - as of August 13, 2020




Colors indicate Risk Levels. Details and labels are shown for County.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Adair County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Alfalfa County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Atoka County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Beaver County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Beckham County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Blaine County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Bryan County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Caddo County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Canadian County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Carter County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Cherokee County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Choctaw County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Cimarron County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Cleveland County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Coal County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Comanche County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Cotton County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Craig County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Creek County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Custer County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Delaware County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Dewey County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Ellis County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Garfield County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Garvin County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Grady County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Grant County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Greer County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Harmon County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Harper County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Haskell County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Hughes County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Jackson County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Jefferson County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Johnston County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Kay County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Kingfisher County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Kiowa County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Latimer County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Le Flore County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Lincoln County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Logan County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Love County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Major County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Marshall County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Mayes County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - McClain County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - McCurtain County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - McIntosh County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Murray County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Muskogee County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Noble County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Nowata County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Okfuskee County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Oklahoma County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Okmulgee County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Osage County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Ottawa County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Pawnee County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Payne County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Pittsburg County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Pontotoc County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Pottawatomie County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Pushmataha County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Roger Mills County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Rogers County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Seminole County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Sequoyah County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Stephens County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Texas County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Tillman County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Tulsa County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Wagoner County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

Regional ICU threshold: Percent of ICU beds available <5% regionally
 Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
 Statewide Ventilator threshold: Percent of ventilators available <5% statewide
 Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Washington County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Washita County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Woods County, OK as of 8/13/2020




The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide

Case Count by Date of Onset and Estimated Cases per 100,000 Population - Woodward County, OK as of 8/13/2020



The above graph displays the number of cases reported for a given county by date of symptom onset or date of test for asymptomatic cases. The circles represent the estimated cases per 100,000 population (US Census 2018est) based on a 7 day average. Colors indicate the risk level (extreme risk levels (> 50) are not displayed). The data is filtered to include dates on or after 3/1/2020.

*OSDH will deem a county as in a high-risk phase if the county is reporting more than 14.39 daily new cases per 100,000 and one or more of the four thresholds occur in the State within a given week.

- Regional ICU threshold: Percent of ICU beds available <5% regionally
- Regional Medical/Surgical threshold: Percent of medical surgery beds available <5% regionally
- Statewide Ventilator threshold: Percent of ventilators available <5% statewide
- Facility PPE threshold: Average days of PPE on hand and available < 5 days statewide