


COLUMN REFURBISHMENT NOTE: SCRAPE ALL LOOSE PAINT AND MATERIAL FROM COLUMN SHAFTS, AND CLEAN AND REMOVE ALL RUST FROM CAST IRON CAPITALS AND BASES TO ACHIEVE A SMOOTH, CONSISTENT SURFACE. PREP AND PRIME ALL SURFACES PER THE PAINT MANUFACTURER'S RECOMMENDATIONS, AND APPLY A MINIMUM OF TWO FINISH COATS. SEAL BASE OF SHAFT TO COLUMN BASE FOR A WATERTIGHT CONDITION.

- NOTES:**
- NEW 1 1/2" METAL FURRING WITH 3/4" DRYWALL OVER EXISTING MASONRY WALL SURFACE
 - NEW 8" CONC. WALL TO FORM ELEVATOR SHAFT
 - NEW 3 3/8" METAL STUD WALL WITH 5/8" DRYWALL EACH SIDE
 - FILL IN EXISTING OPENING WITH NEW FRAMING
 - FILL IN EXISTING OPENING WITH NEW MASONRY TO MATCH EXISTING ADJACENT WALL CONSTRUCTION
 - NEW 6" METAL STUD WALL WITH 3/4" DRYWALL EACH SIDE
 - INSTALL NEW INSULATED GLAZING W/ SIMULATED DIVIDED LITES & 1 1/2" WIDE PROFILED EXTERIOR & INTERIOR MUNTINS & CONTINUOUS SPACER BARS WITHIN AIR SPACE IN EXISTING ALUMINUM-CLAD WOOD PANEL DOORS & SIDE LITES. SEE SPECIFICATIONS
 - NEW OUTSWING DOOR IN EXISTING WINDOW LOCATION MUST FOLD FLUSH AGAINST EXTERIOR BRICK VENEER WHEN FULLY OPEN
 - REFURBISH, CLEAN, PREP, AND PAINT COLUMNS, INCLUDING CAPITAL AND BASE, AND WOOD SHAFT
 - NEW MECHANICAL DUCT FROM BASEMENT - SEE MECHANICAL PLANS
 - BOILER FLUE UP TO ROOF - SEE MECHANICAL PLANS
 - NEW 3 3/8" METAL STUD WALL WITH 5/8" DRYWALL ON THE EXTERIOR/ROOM SIDE TO CONCEAL MECHANICAL ELEMENTS
 - NEW 6" METAL STUD WALL WITH 3/4" DRYWALL ON THE EXTERIOR/ROOM SIDE TO CONCEAL MECHANICAL ELEMENTS
 - INSTALL THIN-SET, CEMENT BOARD AND SPLIT "BRYCE" BRICK ON BACKSIDE OR RECESSED OPENING
 - NEW PRECAST CONCRETE PIER CAPSTONE
 - NEW MASONRY WALL WITH PRECAST CONCRETE CAPSTONE
 - NEW DECORATIVE MASONRY ADA RAMP WALL WITH PRECAST CONCRETE CAPSTONES

1 FIRST FLOOR PLAN
SCALE: 1/4" = 1'-0"



ARCHITECT OF RECORD
JASON EDWARD BIGELOW
REGISTERED ARCHITECT
8 2 0 9

SUPERINTENDENT'S HOUSE
BUILDING RESTORATION
THE UNIVERSITY OF ALABAMA
315 BRYCE LAWN DRIVE, TUSCALOOSA, ALABAMA

THE UNIVERSITY OF ALABAMA
Division of
Finance and Operations
Construction Administration
1420 Warrior Drive
Tuscaloosa, AL 35404
Phone: (205) 346-6960
Web: constructionadministration.ua.edu

ISSUE DATE		
3/23/2021		
DESIGNED & DRAWN BY		
DAVID M. CORDINGLY		
REVISION SCHEDULE		
No.	Date	Description
1	3/23/21	Bid Documents

UA PROJECT NO.
417-21-2494C
DRAWING TITLE
FIRST FLOOR PLAN
SHEET NUMBER
A101