Jekyll Island Ligh	nting Survey						
, ,							
Obs Mark Dodd, Ben Carswell							
Date- 6/22/2016							
Time- 9:00-1150 PM							
Survey Area- Jekyll Isla	nd						
			No. of				
Violation	Location	Fixture	Fixtures	Comments			
Wavelength/ not shielded	Tortuga Jacks	Ceiling fan light	24	6 fans x 4 lights per fan			
Wavelength/ not shielded	Tortuga Jacks	Floodlight- NE corner of deck	1	o lane x 1 lighte per lan			
Wavelength/ not shielded	Putt-Putt	Light in fake lighthouse	1	Mistakenly turned on. Will be turned off on 6/23/16			
Wavelength/ not shielded	Westin	Interior room lights over door	12	Interior light fixture over individual room door entrances can be seen on beach.			
				Combined light from these rooms directly illuminates the beach			
Not shielded	Days Inn-2nd floor lobby	Flourescent Fixtures	2	Partial shield is opaque and does not fully shield bulbs			
Not shielded	Days Inn-2nd floor lobby	light in small refrigerator	1	, , , , , , , , , , , , , , , , , , ,			
Not shielded	Days Inn-1st floor lobby	lobby interior recessed lights	15				
Wavelength	Days Inn- 1st floor	breezeway lights	4	located in breezeway directly south of the lobby			
Wavelength	Days Inn	south stairway column fixtures	2	south stairway columns appear to have different bulbs than other fixtures			
Below include issues with beachf	front lighting not considered violations due						
Wavelength/ not shielded	Clam Creek Parking Area	streetlights	4				
Wavelength/ not shielded	Clam Creek Parking Area	Fishing Center Security Lights	1				
Wavelength	Holiday Inn- North Bldg. 1st floor	room entrance fixtures	20	Entrance fixtures on the north side of building facing restaurant			
Wavelength	Holiday Inn- Restaurant	Interior ceiling cans	6	closure of blinds will take care of this issue			
Wavelength	Holiday Inn-South Bldg. 1st floor	room entrance fixtures	26	Ocean facing rooms includes 4 fixtures in breezeway			
The convention center was not a	ctive on the night of the survey. All lights w	ere turned off. We were not able to asses	ss convention center	r compliance with the ordinance			