

Time In Time Out

0930 1230

SUPPLEMENTAL SHEET

PIMA COUNTY HEALTH DEPARTMENT  
CONSUMER HEALTH & FOOD SAFETY

3950 S. COUNTRY CLUB RD. STE., 100 • TUCSON, AZ 85714  
(520) 724-7908 • FAX (520) 724-9597

Type 1615 B

FACILITY Le Caves Bakery

ID# 300-3320

ADDRESS 1219 S. 6th St.

Unless otherwise specified, the violations explained below will need to be corrected by the next routine inspection.

*Provisional Requirements*

| ITEM NO.   | REMARKS   | CORRECTED BY |
|--|---|--------------|
|  | a heavy rains earlier in the morning and rains on Friday 10-16 and Saturday 10-17   |              |
| 27   | Roof damage and leak in the following areas:<br><ul style="list-style-type: none"> <li>• Donut rolling and cutting Area</li> <li>• Older prep-proofer box and between two ovens</li> <li>• Front Customer Area.</li> </ul> <ul style="list-style-type: none"> <li>• Areas cleaned and sanitized in my presence in the back area. Back production - donut proofing and cutting areas to be relocated and area to be prevented from foot traffic until the roof is repaired.</li> <li>• Ceiling adjacent to fry and glazing area has patching falling - repair and eliminate food prep in this corner.</li> <li>• Eliminate heavy Fly and bee infestation</li> <li>• Found presence of cock roaches in glazing room</li> <li>• Leaking water from roof is a health hazard.</li> </ul> |              |
| Completion of all item on letter of 10/15/15 and inspection of 9/23/15 |   |              |

Person in Charge

Date

EHS

Date

RUDY MORANA

Print Name

10-21-15

David F. Luchini

10-21-15



Time In Time Out

0950 1135

**SUPPLEMENTAL SHEET**

**PIMA COUNTY HEALTH DEPARTMENT  
CONSUMER HEALTH & FOOD SAFETY**

3950 S. COUNTRY CLUB RD. STE., 100 • TUCSON, AZ 85714  
(520) 724-7908 • FAX (520) 724-9597

Type 1615B


FACILITY LE CAVES BAKERY


ID# 300-3320

ADDRESS 1219 S. 6th AV / TUCSON AZ 85713

Unless otherwise specified, the violations explained below will need to be corrected by the next routine inspection.

| ITEM NO. | REMARKS   | CORRECTED BY |
|----------|---|--------------|
| #18      | SEVERAL LARGE MIXER BOWLS LOCATED ON FLOOR AND THROUGHOUT FACILITY HAVE DUD, ENCRUSTED FOOD DEBRIS. A DONUT GLAZED THIS MORNING WAS SETTING ON METAL SURFACE, PART OF A PLYWOOD CABINET; SURFACE WORN TO THE POINT IT CANNOT BE SANITIZED. AZHC 4-702.11 UTENSILS AND FOOD CONTACT SURFACES OF EQUIPMENT SHALL BE SANITIZED BEFORE USE AFTER. DO NOT USE PLYWOOD CABINET WITH METAL TABLE SURFACE AS A FOOD PREP SURFACE; REMOVE FROM FACILITY. SCRUB CLEAN, RINSE AND SANITIZE MIXER BOWLS BEFORE NEXT USE, ALONG WITH ALL OTHER UTENSILS AND FOOD CONTACT SURFACES USED FOR PRODUCTION. ITEM NOT CORRECTED. |              |
| #27      | HEAVY RAINS OCCURED EVENING OF 10/29 / EARLY MORNING 10/30. MR. MOLINA STATED ROOF REPAIRS OF WHERE IT WAS FOUND TO BE LEAKING WERE DONE 10/27 AND 10/28. NO WATER OR ROOF LEAKAGE OBSERVED AT TIME OF INSPECTION. MR. MOLINA DID NOT SPECIFY A TIME-FRAME FOR DRYWALL REPAIR; NO REPAIR OF DRYWALL HAS BEEN COMPLETED AT THIS TIME. SCRAP PIECES OF DRYWALL, GIBBER BOARD AND PLYWOOD OBSERVED IN NE CORNER OF FRYER ROOM, IN SECTIONS OF BOTH NORTH AND SOUTH SKYLIGHTS, AND AT SOUTH END OF FACILITY NEAR PROOFING BOX.  |              |
|          | <del>BOX</del> ONE LIVE ROACH OBSERVED IN FRYER ROOM, A DEAD ROACH INSIDE OF PROOF BOX AND A DEAD COCKROACH UNDER A FOOD PREP TABLE WAS OBSERVED. OBSERVED OTHER DEAD ROACHES IN GUE TRAPS THROUGHOUT FACILITY. MR. MOLINA STATED   |              |

  
 Person in Charge Rudy Molina  
 Date 10-30-15  
 Print Name

  
 EHS [Signature]  
 Date 10/30/15

3/4

Time In Time Out

0950 1135

SUPPLEMENTAL SHEET

PIMA COUNTY HEALTH DEPARTMENT  
CONSUMER HEALTH & FOOD SAFETY

3950 S. COUNTRY CLUB RD. STE., 100 • TUCSON, AZ 85714  
(520) 724-7908 • FAX (520) 724-9597

Type 161SB

FACILITY LECAVES BAKERY

ID#

300-3320

ADDRESS 1219 S. 6th Av / TUCSON AZ 85713

Unless otherwise specified, the violations explained below will need to be corrected by the next routine inspection.

| ITEM NO. | REMARKS  | CORRECTED BY |
|----------|--|--------------|
|          | TIFFANY NOLAN SPRAYS ONCE MONTHLY, BUT IS INCREASING TO WEEKLY. COCKROACHS OBSERVED IN GUE TRAP ON RIGHT SIDE OF DECK OVER. EXCESSIVE FLY ACTIVITY IN LOBBY, INCLUDING ONE INSIDE A PASTRY CABINET. AZFL 6-501.111 THE PRESENCE OF INSECTS, RODENTS AND OTHER PESTS SHALL BE CONTROLLED TO MINIMIZE THEIR PRESENCE ON THE PREMISES. PRODUCE INVOICES AT NEXT INSPECTION IN 10 DAYS, SHOWING ONGOING TREATMENT. FLY STRIPS WITH DEAD FLIES ARE LOCATED ABOVE A CENTRAL PREP TABLE AND ANOTHER PREP TABLE NEAR DOOR LEADING TO LOBBY. RELOCATE STRIPS, AS THEY CANNOT BE LOCATED ABOVE EXPOSED FOOD OR CLEAN EQUIPMENT AND UTENSILS. | LIVE GERMAN  |
| NOTE     | PREP TABLES AT SOUTHEAST END OF BUILDING WHERE ROOF DAMAGE AND LEAKING OCCURRED AT PRIOR INSPECTION DATED 10/21/15 BY DAVID LUDWIG, PROGRAM DIRECTOR, WERE PULLED APPROXIMATELY 14" AWAY FROM WALLS.   |              |
|          | AS OF 10/30/15, TIFFANY MOLINA HAS NOT REGISTERED FOR FOOD HANDLERS COURSE, AS STIPULATED IN INSPECTION CONDUCTED 10/21/15.  |              |
|          | PROVISIONAL FEE HAD NOT BEEN PAID PRIOR TO INSPECTION. MR. MOLINA ISSUED CHECK # 18607 IN THE AMOUNT OF \$190.00. AN INVOICE WILL BE MAILED.   |              |

Person in Charge

10-30-15

Date

EHS

10/30/15

Date

Ruby MOLINA  
Print Name

